Ms. rec. 4. Nov. 1946.

APOANALCITE, A NEW MINERAL

BY

CHRISTOFFER OFTEDAHL

With 1 figure.

Abstract. A red zeolite mineral in a syenite pegmatite from Nordmarka, Oslo Region, was found to have optical and chemical properties deviating from the known zeolites. Because of the similarity to analcite, the mineral is called apparalcite.

In 1925 professor J. Schetelig found an erratic boulder of syenite pegmatite in a gravel pit at Voksen, 5 km NW of Oslo. A hand specimen of it is stored in the Geological Museum in Oslo. A red mineral was specially emphasized on the label. The specimen chiefly consists of grey micro-(crypto-) perthite with some aegirine and biotite crystals, and a massive red mineral, slightly columnar. Such pegmatites are found in various parts of Nordmarka, north of Oslo. Supposing that the red mineral was a zeolite of the natrolite group, I determined the following optical elements:

Optically positive, uniaxial, $\varepsilon = 1.487$, $\omega = 1.475$.

These properties agree with the doubtful zeolite laubanite, but they also suggest an analcite with extraordinarily high anomal birefringence.

In order to determine the mineral I had a chemical analysis made. Only 0.2 gr was available for the main portion, and the alkali determination was carried out on 0.13 gr. Thus the errors may be four times as large as by a common analysis, and therefore only one decimal is tabulated. The analysis was carried out by mag. scient. Lars Lund, Kjemisk Institutt.

Calculated on 6 O-atoms, the analysis gives the following formula:

$$Na_{0.92}Ca_{0.03}Al_{1.55}Si_{1.59}O_6 \cdot 1.51 H_2O.$$

With 80 O-atoms the formula is:

$$Na_{12.3}Ca_{0.4}Al_{20.7}Si_{21.2}O_{80} \cdot 20.1 H_2O.$$

No ordinary zeolite has this composition, and the formula does not agree with the general zeolite formula, as given by Berman (1937. p. 371):


$$(Na, K)_m(Ca, Ba, Sr)_nAl_{2n+m}Si_rO_{2(2n+m+r)} \cdot sH_2O,$$

expressing the principle that each Al entering into $x \cdot SiO_2$ is balanced by one (Na, K) or $^{1}/_{2}$ (Ca, Ba, Sr). In the present mineral Al has substituted Si in excess of the Na and Ca contents. The formula may accordingly be written:

NaAl(Al_x Si_y)SiO₆ · 1.51 H₂O, where
$$3x + 4y = 4$$
.

The common analcites sometimes contain H_2O and SiO_2 in excess of the tenor indicated by the formula $NaAlSi_2O_6 \cdot H_2O$ (Winchell, 1933, p. 293), but only to such a limited degree that Berman (1937, p. 374) says: "Analcite is a well established species with a fairly definite composition; only small amounts of Ca and K enter into the composition."

Thus the present mineral deviates from analcite both in composition and in formula type, and it probably represents a new species. The mineral shows a more close resemblance to analcite than to any other zeolite, and it is possibly an alteration product of analcite, therefore the designation apparalcite is proposed.



Dehydration curves of: A. Analcite (Friedel 1896. B. Analcite (Milligan 1937).

C. Apoanalcite.

It might be supposed that the new mineral is made up of two or more minerals. But a thin section shows that the red aggregates form only one mineral. The hypidiomorphic individuals show a pronounced undulatory extinction.

The dehydration of apoanalcite has been determined by mag. scient, Lars Lund:

Temp., degrees C Hours of heating Loss, weight-0/0	2.5	1	200 24 0.33	1	420 1 9.40	3	15	770 8 10.62	950 18 11.73	1050 2 11.73

The dehydration curve shows that more than one H_2O is given off suddenly between 300° and 420° . On the figure two curves are plotted for analcite, one old determination and a recent one. Both of them demonstrate a continuous dehydration.

Analcite from the Oslo Region has been described by Brøgger (1890, pp. 565—585). The mineral is greyish white, in some cases

yellow, thus it cannot be confused with apparalcite. But natrolite is very common in the syenite pegmatites, and some of the specimens of the massive red natrolite, which has simply been labelled "spreustein", may prove to be apparalcite on further investigation.

Mineralogisk Institutt, Oslo, October 1946.

REFERENCES

- 1937. Berman, H.: Constitution and Classification of Natural Silicates. Am. Min., 22.
- 1890. Brøgger, W. C.: Die Mineralien der Syenitpegmatitgänge der südnorvegischen Augit- und Nephelinsyenite. Zeitschr. Kryst., 16.
- 1896. Friedel, G.: Sur quelques propriétés nouvelles des zeolithes. Bull. Soc. Min. de France, 19.
- 1937. Milligan, W. O. and H. B. Weisser: The Mechanism of the Dehydration of Zeolites. Journ. Phys. Chem., 41.
- 1933. Winchell, A. N.: Elements of Optical Mineralogy. Part II. New York.